

Water & Mass Balances

BMP Performance: 51% (1995-1997)

WY 1979-1988

07/16/98

Table with columns for Segment, Term, and various mass flow metrics (Flow, Load, Conc) for different BMPs (95Base, 50Base, ALT-A, ALT-B, ALT-C, ALT-D, A-D13R).

Water & Mass Balances

BMP Performance: 51% (1995-1997)

WY 1979-1988

07/16/98

Segment	Term	95Base			50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
		Flow kac/yr	Load mt/yr	Conc ppb	Flow kac/yr	Load mt/yr	Conc ppb	Flow kac/yr	Load mt/yr	Conc ppb	Flow kac/yr	Load mt/yr	Conc ppb	Flow kac/yr	Load mt/yr	Conc ppb	Flow kac/yr	Load mt/yr	Conc ppb	Flow kac/yr	Load mt/yr	Conc ppb
STA Outf+Byp	STA-34				578.5	25.4	36	593.5	22.8	31	687.3	29.7	35	633.4	27.2	35	642.4	27.6	35	659.2	28.5	35
STA Outf+Byp	STA-5				97.5	8.2	68	127.6	11.6	74	126.9	11.5	74	127.3	11.6	74	128.1	11.7	74	128.0	11.6	74
STA Outf+Byp	STA-6				17.9	0.6	27	19.2	0.7	28	19.1	0.7	29	19.2	0.7	28	19.2	0.7	28	19.2	0.7	28
STA Outf+Byp	Res->EAA				0.0	0.0	0	166.5	14.3	69	156.5	13.6	71	159.4	13.7	70	161.0	13.8	70	161.0	13.8	69
STA Outf+Byp	Total				1206.1	61.9	42	1393.7	74.4	43	1483.3	81.2	44	1436.3	79.2	45	1454.5	80.4	45	1445.9	79.2	44